

According to 29 CFR 1910.1200 App D and Regulation (EC) No. 1907/2006 (REACH)

# McGlaughlin Oil Company Petrol-Gel®

Version number: GHS 1.0 Date of compilation: 2023-10-25

#### **SECTION 1: Identification**

#### 1.1 Product identifier

Trade name McGlaughlin Oil Company Petrol-Gel®

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Lubricant

#### 1.3 Details of the supplier of the safety data sheet

The McGlaughlin Oil Company 3750 East Livingston Avenue Columbus, OH 43227 United States

Telephone: 614-231-2518 Telefax: 614-231-7431

Email: order@mcglaughlinoil.com Website: www.petrolgel.com

#### 1.4 Emergency telephone number

Emergency information service (ChemTel, 24 hrs.) 800-255-3924

#### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

not required

Labeling according to Regulation (EC) No 1272/2008 (CLP)

Not required.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq$  0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

United States: en Page: 1 / 10



According to 29 CFR 1910.1200 App D and Regulation (EC) No. 1907/2006 (REACH)

# McGlaughlin Oil Company Petrol-Gel®

Version number: GHS 1.0 Date of compilation: 2023-10-25

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Description of the mixture

This product does not meet the criteria for classification in any hazard class according to GHS.

Hazardous ingredients

All ingredients are listed or exempt from listing. Not all ingredients are listed.

#### **SECTION 4: First-aid measures**

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United States: en Page: 2 / 10



According to 29 CFR 1910.1200 App D and Regulation (EC) No. 1907/2006 (REACH)

# McGlaughlin Oil Company Petrol-Gel®

Version number: GHS 1.0 Date of compilation: 2023-10-25

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Storage temperature

Recommended storage temperature: 5°C - 40°C

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

8.1.1

Occupational exposure limit values (Workplace Exposure Limits)

Components., Hazardous combustion products.

United States: en Page: 3 / 10



According to 29 CFR 1910.1200 App D and Regulation (EC) No. 1907/2006 (REACH)

# McGlaughlin Oil Company Petrol-Gel®

Version number: GHS 1.0 Date of compilation: 2023-10-25

| Coun<br>try | Name of agent | CAS No        | Iden-<br>tifier | TWA<br>[ppm] | TWA<br>[mg/<br>m³] | STEL<br>[ppm] | STEL<br>[mg/<br>m³] | Ceil-<br>ing-C<br>[ppm] | Ceil-<br>ing-C<br>[mg/<br>m³] | Nota<br>tion                  | Sourc<br>e          |
|-------------|---------------|---------------|-----------------|--------------|--------------------|---------------|---------------------|-------------------------|-------------------------------|-------------------------------|---------------------|
| US          | mineral oil   | 8042-47-<br>5 | TLV®            |              | 5                  |               |                     |                         |                               | i, ex-<br>Met-<br>Work-<br>Fl | AC-<br>GIH®<br>2023 |

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

exMetWorkFl excluding metal working fluids

i inhalable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties Appearance

United States: en Page: 4 / 10



According to 29 CFR 1910.1200 App D and Regulation (EC) No. 1907/2006 (REACH)

# McGlaughlin Oil Company Petrol-Gel®

Version number: GHS 1.0 Date of compilation: 2023-10-25

| Physical state | solid        |
|----------------|--------------|
| Color          | off-white    |
| Odor           | neutral odor |

#### Other safety parameters

| pH (value)                              | not applicable  |
|---|---|
| Melting point/freezing point            | not determined  |
| Initial boiling point and boiling range | not determined  |
| Flash point                             | ≥177 °C non-flammable                                     |
| Evaporation rate                        | Not determined  |
| Flammability (solid, gas)               | this material is combustible, but will not ignite readily |
| Explosion limits of dust clouds         | not determined  |
| Vapor pressure                          | <0.01 kPa at 20 °C  |
| Density                                 | 0.86 – 0.9 <sup>g</sup> / <sub>cm³</sub>                  |
| Vapor density                           | this information is not available                         |
| Solubility(ies)                         | not determined  |

#### Partition coefficient

| - n-octanol/water (log KOW) | this information is not available |
|-----------------------------|-----------------------------------|
| Auto-ignition temperature   | not determined                    |
| Viscosity                   | not relevant (solid matter)       |

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

United States: en Page: 5 / 10



According to 29 CFR 1910.1200 App D and Regulation (EC) No. 1907/2006 (REACH)

# McGlaughlin Oil Company Petrol-Gel®

Version number: GHS 1.0 Date of compilation: 2023-10-25

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidizers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

#### Classification according to GHS (1272/2008/EC, CLP)

This mixture does not meet the criteria for classification.

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

United States: en Page: 6 / 10



According to 29 CFR 1910.1200 App D and Regulation (EC) No. 1907/2006 (REACH)

# McGlaughlin Oil Company Petrol-Gel®

Version number: GHS 1.0 Date of compilation: 2023-10-25

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0.1%.

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

# **SECTION 14: Transport information**

| 14.1 | UN number                  | not subject to transport regulations                                  |
|------|----------------------------|---|
| 14.2 | UN proper shipping name    | not relevant  |
| 14.3 | Transport hazard class(es) | none  |
| 14.4 | Packing group              | not assigned  |
| 14.5 | Environmental hazards      | non-environmentally hazardous acc. to the dangerous goods regulations |

United States: en Page: 7 / 10



According to 29 CFR 1910.1200 App D and Regulation (EC) No. 1907/2006 (REACH)

# McGlaughlin Oil Company Petrol-Gel®

Version number: GHS 1.0 Date of compilation: 2023-10-25

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### **Information for each of the UN Model Regulations**

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question National regulations (United States)

**Toxic Substance Control Act (TSCA)** 

#### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

#### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4) none of the ingredients are listed

#### Clean Air Act

none of the ingredients are listed

- Cleaning Product Right to Know Act Substance List (CA-RTK) none of the ingredients are listed
- Toxic or Hazardous Substance List (MA-TURA) none of the ingredients are listed
- Hazardous Substances List (MN-ERTK) none of the ingredients are listed none of the ingredients are listed
- Hazardous Substance List (Chapter 323) (PA-RTK) none of the ingredients are listed

United States: en Page: 8 / 10



According to 29 CFR 1910.1200 App D and Regulation (EC) No. 1907/2006 (REACH)

# McGlaughlin Oil Company Petrol-Gel®

Version number: GHS 1.0 Date of compilation: 2023-10-25

- Hazardous Substance List (RI-RTK) none of the ingredients are listed

#### Industry or sector specific available guidance(s)

#### **NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).



| Category       | Degree of<br>hazard | Description  |
|----------------|---------------------|--|
| Flammability   | 1                   | material that must be preheated before ignition can occur  |
| Health         | 0                   | material that, under emergency conditions, would offer no hazard beyond that of or-<br>dinary combustible material |
| Instability    | 0                   | material that is normally stable, even under fire conditions   |
| Special hazard |                     |  |

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information, including date of preparation or last revision

#### **Abbreviations and acronyms**

| Abbr.         | Descriptions of used abbreviations  |
|---------------|---|
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation  |
| ACGIH® 2023   | From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement |
| CAS           | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| Ceiling-C     | Ceiling value   |
| CLP           | Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures   |
| DGR           | Dangerous Goods Regulations (see IATA/DGR)  |
| GHS           | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations   |
| IATA          | International Air Transport Association   |
| IATA/DGR      | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |

United States: en Page: 9 / 10



According to 29 CFR 1910.1200 App D and Regulation (EC) No. 1907/2006 (REACH)

# McGlaughlin Oil Company Petrol-Gel®

Version number: GHS 1.0 Date of compilation: 2023-10-25

| Abbr. | Descriptions of used abbreviations                                   |
|-------|--|
| ICAO  | International Civil Aviation Organization                            |
| IMDG  | International Maritime Dangerous Goods Code                          |
| OSHA  | Occupational Safety and Health Administration (United States)        |
| PBT   | Persistent, Bioaccumulative and Toxic                                |
| ppm   | Parts per million  |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| STEL  | Short-term exposure limit  |
| TLV®  | Threshold Limit Values   |
| TWA   | Time-weighted average  |
| vPvB  | Very Persistent and very Bioaccumulative                             |

#### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200. Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 10 / 10